



PRO-LINE

Micro

Compact

Envision

Rack

MicroDIN

CompactDIN

7"/10"

RS232		0	1	1	1+2*
RS485		0	1	1	2*
USB-Ports		1	2	1	4
KNX/TP connection		1	1	1	1
IP Cameras		●	●	●	●
KNX/IP routing		●	●	●	●
Ethernet Gateway		●	●	●	●
Full Web Page		—	○	○	—
Unlimited KNX Object		●	●	●	●
Unlimited Clients		●	●	●	●
IoT UPSW.IOT		●	●	●	●
IR Transmitter		●	●	●	●
Voice Control		●	●	●	●
Z-Wave UPZWAVE		○	○	○	○
Security UPSW1.1		—	○	○	○
DoorCom and PBX UPSW1.3		○	○	○	●
Automation UPSW2.1		○	○	●	○

Lutron UPSW2.2					
Philips Hue UPSW2.3					
Legrand BTicino UPSW2.4					
Sonos UPSW2.5					
Audio/Video UPSW2.6					
Gateway Mitsubishi UPSW2.7					
Velux UPSW2.8					
BACnet UPSW2.9					
Datenspeicherung bis zu 20 MB					
Datenspeicherung über 20 MB UPSW4 CLOUD					
Access control 2 Gate VAI2					
Access control 3-10 gates VAI3-10					
Access control 11-50 gates VAI11-50					
Access control 51+ gates VAI51+					
FIAS protocol up to 10 rooms UPSWH0-10					
FIAS protocol 11-50 rooms UPSWH11-50					
FIAS protocol 51+ rooms UPSWH51+					

TREND-LINDE



K
K2



Piccolo
Server



Piccolo
Client

RS232		0	0	1
RS485		0	0	1
USB-Ports		●	—	—
KNX/TP connection		1	1	1
Videocamera		●	●	●
KNX/IP routing		●	●	●

- — Die Option ist für das Gerät nicht verfügbar.
- ○ Die Option ist für das Gerät verfügbar.
- ● Die Option ist in dem Gerät bereits enthalten.
- * Serielle Schnittstellen können als RS232 oder RS485 konfiguriert werden.
Lizenzen und Upgrades können von Land zu Land unterschiedlich sein.

- — Cette option n'est pas disponible pour cet appareil.
- ○ Cette option est disponible pour cet appareil.
- ● Cette option est déjà intégrée à l'appareil.
- * Les interfaces série peuvent être configurées en RS232 ou RS485.
Les licences et les mises à niveau peuvent varier d'un pays à l'autre.